


The hydrophobic interaction :

non polar ("hydrophobic") substances have a low solubility in water, e.g.:

solubility constant K
= solubility in mole fraction



i.e. you consider the "reaction" $\text{Oil} \rightarrow \text{Oil}_{\text{aq}}$

and $\Delta G^\circ = -RT \ln K$ $R = 8.314 \text{ J mol}^{-1} \text{ K}^{-1}$, x mole fraction of oil in water at eq.

(mole fraction of oil in oil = 1 !)

$K = x$ so $\Delta G^\circ = -RT \ln K$ - This is how you measure ΔG°

ΔG° is the change in Gibbs pot. if you transfer oil into water : $\Delta G(l \rightarrow w) = G(w) - G(l)$
 l : "liquid" , w : "water"

In gen. for a chemical reaction $A + B \rightleftharpoons C$

using $\mu = \mu^\circ + RT \ln x$, μ° chem. pot. of the pure component



writing for one mole =

$$G_A = G_A^\circ + RT \ln X_A, \text{ etc.}$$

$$\Delta G \text{ for the reaction is } \Delta G = G_C - (G_A + G_B)$$

(i.e. you start with 1 mole of A, 1 mole of B, and end up with 1 mole of C)

$$\Rightarrow \Delta G = \underbrace{G_C^\circ - (G_A^\circ + G_B^\circ)}_{\Delta G^\circ} + RT \ln \frac{X_C}{X_A X_B}$$

ΔG° molar Gibbs pot. difference between pure end products and pure reactants.

$$\text{At eq. } \Delta G = 0 \Rightarrow \Delta G^\circ = -RT \ln K$$

$$\text{with } K = \frac{X_C}{X_A X_B} \quad \left[\text{i.e. at eq. } \mu_A + \mu_B = \mu_C \right]$$

[Note: if you use concentrations, $X_C = \frac{M_C}{M_A + M_B + M_C}$

$$\text{etc. } \Rightarrow \frac{X_C}{X_A X_B} = \frac{M_C}{M_A M_B} (M_A + M_B + M_C) = \frac{M_C/V}{\frac{M_A}{V} \frac{M_B}{V}} \frac{M_{\text{tot.}}}{V}$$

$$= \frac{[C]}{[A][B]} C_{\text{tot.}} \quad]$$



Or also:



$$\mu = \mu_0 + kT \ln \frac{C}{C_0} \quad (C_0 \text{ ref. conc. at which } \mu = \mu_0)$$

$$\text{eq.: } \mu_A + \mu_B = \mu_C$$

$$\Rightarrow kT \ln \frac{C_A C_B}{C_C} \frac{1}{C_0} = \mu_0^{AB} - (\mu_0^A + \mu_0^B) = \Delta \mu_0$$

$$\Rightarrow \frac{C_A C_B}{C_C} = C_0 e^{\Delta \mu_0 / kT} = C_0 K(T)$$

$$\text{or } \frac{[A][B]_{\text{eq.}}}{[C]_{\text{eq.}}} = (1M) e^{\Delta G^\circ / RT}$$

ΔG° free energy diff. if all reactants are present at 1M conc.

In non-eq., what is ΔG ?

$$\Delta \mu = \mu_C - (\mu_A + \mu_B) = -kT \ln \frac{C_A C_B}{C_C} \frac{1}{C_0} + \Delta \mu_0$$

$$\Rightarrow \Delta G = -kT \ln \frac{[A][B]}{[C]} + \Delta G^\circ$$



So low solubility (hydrophobic) means $K \ll 1$
 $\rightarrow \Delta G > 0$ and large $(\Delta G(l \rightarrow w))$.

On the other hand, these substances also have

$\Delta H(l \rightarrow w) \approx 0$ (small) - You can ~~also~~ measure

ΔH by calorimetry -

$\Delta G = \Delta H - T \Delta S$ so for these substances


$\Delta S(l \rightarrow w)$ is large and negative at (room temp.) -

E.g.: benzene (room temp.)

K (mole fraction)	ΔG (kJ/mole)	ΔH	$T \Delta S$
4×10^{-4}	19	2	-17

and remember, $20 \text{ kJ/mole} \approx 8 \text{ kT/molecule}$

This large entropy decrease is due to a partial ordering of the water molecules around the hydrophobic molecules; several water molecules must be involved ~~(since $\Delta S \sim 7 \div 8 \text{ k}$)~~
 (since $\Delta S \sim 7 \div 8 \text{ k}!$). Why do the water molecules order? They have less choices for hydrogen bonding if they are close to a hydrophobic surface (i.e.




the hydrogen bonding network is more ordered close to a hydrophobic surface) -

So the hydrophobic interaction is really the water trying to expel the hydrophobic molecules, which leads to a tendency to aggregate (i.e. an effective attractive interaction).

Range ?

The same effect also accounts for the high surface tension of water (which you can reduce with a surfactant :




Hydrophilic molecules : - charged (ion-dipole interact.)
- polar (dipole-dipole -)

Temperature dependence of the hydrophobic int. :

interaction increases with T in some range

($-T\Delta S$), but $\rightarrow 0$ at high enough T

($110 - 140^\circ\text{C}$) because then you have destroyed the ~~ordered~~ extreme ordered structure around the hydrophobic mol.



e.g. benzene in water
(relative to benzene in benzene)

for $T \sim 140^\circ\text{C}$, $\Delta G \approx 0$?



Important = biomolecular interactions
depend on temp. !!

I.e. the actual interaction strength changes with T

So e.g. when a protein unfolds, it's not just
because of the $T\Delta S$ term in $F = E - TS$
with $\Delta S \sim$ temp. indep.; instead, ΔS itself
(and ΔE) have strong temp. dependencies.

See e.g. model of "cold unfolding" later on -



Important = biomolecular interactions
depend on temp. !!

I.e. the actual interaction strength changes with T

So e.g. when a protein unfolds, it's not just

because of the $T\Delta S$ term in $F = E - TS$

with $\Delta S \sim$ temp. indep. ; instead, ΔS itself

(and ΔE) have strong temp. dependencies.

See e.g. model of "cold unfolding" later on.



Hydrogen bonds. E.g. in water

main feature is: directionality


approx. ~~as~~ interaction energy:

$$E_{HB} \sim D_0 \left[5 \left(\frac{R_0}{R} \right)^{12} - 6 \left(\frac{R_0}{R} \right)^{10} \right] \cos^4 \theta$$

θ deviation from "ideal" alignment.

Directionality \rightarrow ~~see~~ secondary structure of proteins
(α -Helices, β -sheets); DNA double helix, etc.

But remember: in the case of e.g. ~~see~~ ^{ds} DNA, you
have to compare hydrogen bonding between AT say
to hydrogen bonding with the water \rightarrow stability is
only ~ 1 kT per hydrogen bond.



$$D_0 \sim 8 \text{ kcal/mole} \\ \approx 13 \text{ kT}$$



Fundamental interactions

Van der Waals forces :

considers two atoms at a distance

\vec{r}



a quantum fluct. in the first results in a dipole moment P_1

→ field $E = \frac{P_1}{r^3}$; the second atom has polarizability α

→ induced dipole $P_2 = \alpha E = \alpha \frac{P_1}{r^3}$; the field of this dipole at position 1 $E_2 = \frac{P_2}{r^3} = \alpha \frac{P_1}{r^6}$

→ energy $\phi = -P_1 E_2 = -\alpha \frac{P_1^2}{r^6}$

Bohr atom : $P_1 = e a_0$, $a_0 = \frac{e^2}{2h\nu}$ Bohr radius

$h\nu =$ ionization energy ;

polarizability : $\alpha \approx a_0^3$ [note : $[\alpha] = l^3$]

e.g. for a dielectric sphere, $\alpha = \frac{\epsilon - 1}{\epsilon + 2} a^3$

⇒ $\phi \sim -\alpha^2 \frac{e^2}{a_0} \frac{1}{r^6} \sim -\alpha^2 \frac{h\nu}{r^6}$ VdW interaction between two atoms.



The London eq. (from q.m. perturbation theory)

is the same with a factor $3/4$:

$$\phi = -\frac{3}{4} \alpha^2 \frac{h\nu}{r^6}$$

According to our estimate, $\alpha \approx a_0^3 \approx 10^{-24} \text{ cm}^3$

another estimate is from a harmonic oscillator

$$\text{model} = m\omega^2 \vec{x} = e\vec{E} \Rightarrow \alpha = \frac{e^2}{m\omega^2}$$

$$\text{with } \lambda \sim 300 \text{ nm (near UV)} \Rightarrow \omega \sim 6 \times 10^{15} \text{ Hz}$$

$$\rightarrow \alpha \sim 6 \times 10^{-24} \text{ cm}^3$$

Strength of the VdW forces = consider two atoms at contact : $r \approx 0.3 \text{ nm}$

$$\alpha \approx 10^{-24} \text{ cm}^3, \quad h\nu \approx 10 \text{ eV} = 400 \text{ kT}$$

$$\Rightarrow \phi_{\text{VdW}} \approx 10^{-48} \frac{400}{650 \times 10^{-48}} \text{ kT} \sim 1 \text{ kT}$$

These are the forces responsible for the condensation (liquid & solid phases) of non-ionic, non polar substances

e.g. He, Ne, Ar, CH₄ etc.



The London eq. predicts the right cohesive energy for VdW solids, e.g. Ar: closed packed solid \rightarrow

12 nearest neighbors \rightarrow 6 full bonds per atom

$$\rightarrow \text{molar energy} = N_0 \times 6 \times \frac{3}{4} \alpha^2 \frac{h\nu}{r^6}$$

Taking into account all neighbors, $6 \rightarrow 7.2 \dots$

and using the interatomic distance for solid Ar

$$r = 3.76 \text{ \AA} \text{ etc. you get } 7.7 \text{ kJ/mole}$$

(10 kJ/mole \approx 4 kT/molecule) -

What you measure is the latent heat of melting + latent heat of vaporization, which is also 7.7 kJ/mole!

In gen. there are other contributions to the VdW interaction

(e.g. if the molecules have a permanent dipole moment, like H₂O), but they also go as $\sim r^{-6}$ -

To calculate the coeff. from the microscopics is a bit messy - Here we just show that the interaction is not necessarily always attractive, because =

For macroscopic bodies, write $V = - \frac{A}{m_1 m_2} \frac{1}{r^6}$
across vacuum, $A \approx 10^{-12} \text{ ergs}$



the London eq. for two dissimilar atoms is

$$\phi = -\frac{3}{2} \frac{\alpha_1 \alpha_2}{r^6} \frac{h \nu_1 \nu_2}{(\nu_1 + \nu_2)}$$

in a medium, e.g. for a dielectric sphere,


$$\alpha = \epsilon \frac{\epsilon_1 - \epsilon}{\epsilon_1 + 2\epsilon} a^3 \quad (\text{sphere of radius } a, \text{ dielectric constant } \epsilon)$$

$$\Rightarrow \phi = -\frac{3}{2} \epsilon^2 \frac{\epsilon_1 - \epsilon}{\epsilon_1 + 2\epsilon} \frac{\epsilon_2 - \epsilon}{\epsilon_2 + 2\epsilon} \frac{h \nu_1 \nu_2}{(\nu_1 + \nu_2)}$$

so for identical molecules ($\epsilon_1 = \epsilon_2$) across any medium, the VdW is always attractive, but if $\epsilon_1 \neq \epsilon_2$ and ϵ lies in between ϵ_1 & ϵ_2 then it is repulsive.

Approximate q.m. derivation of the London eq.:

field of a dipole $\phi(\vec{x}) = \frac{\vec{p} \cdot \vec{x}}{x^3}$

$\vec{p} \uparrow \theta$ 

$$\Rightarrow \vec{E}(\vec{x}) = \frac{3\hat{x}(\vec{p} \cdot \hat{x}) - \vec{p}}{x^3}$$

$$\begin{aligned} \vec{p} \cdot \hat{x} &= p \cos \theta \quad ; \quad \text{averaging: } \langle E^2 \rangle = \frac{p^2}{x^6} [(3\cos^2 \theta)^2 + 1 - 6\cos^2 \theta] \\ &= \frac{p^2}{x^6} (3\cos^2 \theta + 1) = 2 \frac{p^2}{x^6} \quad \text{because } \langle \cos^2 \theta \rangle = \frac{1}{3} \end{aligned}$$



i.e. the averaged field from a dipole P_1

is $E = \sqrt{2} \frac{P_1}{x^3}$ and the interaction potential

$$V = - \vec{p}_2 \cdot \vec{E} = - \sqrt{2} \frac{P_1 P_2}{x^3} \quad ; \quad \vec{p}_1 = e \vec{r}_1 \\ \vec{p}_2 = e \vec{r}_2$$

interaction energy in perturbation theory:

$$\Delta E = \langle 0 | V | 0 \rangle + \sum_n \frac{|\langle 0 | V | n \rangle|^2}{E_0 - E_n}$$

call $|g_i\rangle$, $|e_i\rangle$ the ground and excited state of atom i : (considers only ^{one} first excited state)

so a state for the system is e.g. $|g_1\rangle |e_2\rangle$ etc.

1) all diagonal elements are zero (see later)

$$2) \quad \Delta E = \frac{2e^4}{x^6} \frac{|\langle g_1 | z_1 | e_1 \rangle \langle g_2 | z_2 | e_2 \rangle|^2}{\hbar \omega_1 + \hbar \omega_2}$$

Polarizability of one atom:

$$V = - \vec{p} \cdot \vec{E} = - \alpha E^2 \quad \Rightarrow \quad \alpha E^2 = e^2 E^2 \frac{|\langle g | z | e \rangle|^2}{\hbar \omega}$$

$$\Rightarrow \quad \alpha = \frac{e^2}{\hbar \omega} |\langle g | z | e \rangle|^2$$



$$\Rightarrow \Delta E = - \frac{2 \alpha_1 \alpha_2}{x^6} \frac{\hbar \omega_1 \omega_2}{(\omega_1 + \omega_2)}$$

Why are the diagonal elements zero =

state with ang. mom. $l \rightarrow$ parity $(-1)^l$

under parity, $z \rightarrow -z$, and given ψ_{even}

and ψ_{odd} : $Z_{ee} = \langle \psi_e | z | \psi_e \rangle \rightarrow -Z_{ee}$

$\Rightarrow Z_{ee} = 0$, also $Z_{oo} = 0$

and the only allowed transitions are


e.g. $\langle \psi_e | z | \psi_o \rangle$ i.e. $l \rightarrow l \pm 1$

(one photon exchange) -


Interactions between macroscopic bodies (e.g. surfaces):

the power law changes! E.g.:

molecule above a surface



$$\phi = - A \int_0^{\infty} dz \int_0^{\infty} 2\pi r dr \frac{n_0}{(z^2 + r^2)^3}$$



change variable

$$z^2 + r^2 = x$$

$$\Rightarrow 2r dr = dx$$

$$\rightarrow \text{inner integral} = \mu_0 \pi \int_{z^2}^{\infty} \frac{dx}{x^3} = \frac{\mu_0 \pi}{2} \frac{1}{z^4}$$


$$\Rightarrow \phi = -A \frac{\mu_0 \pi}{2} \int_D^{\infty} \frac{dz}{z^4} = -A \frac{\mu_0 \pi}{6} \frac{1}{D^3}$$

i.e. $\phi \sim \frac{1}{D^3}$ and force $\sim \frac{1}{D^4}$ -

Similarly, the interaction energy per unit area

of two surfaces separated by D is $\propto \frac{1}{D^2}$ -

Relation between the force $F(D)$ between two curved surfaces and the interaction energy $W(D)$ (per unit area) between planar surfaces = Derjaguin approx.



$f(z)$ force per unit area between flat surfaces

Force between the two spheres:

$$F(D) = \int_{z=D}^{z=\infty} 2\pi x dx f(z)$$



$$x^2 = 2R_1 z_1 = 2R_2 z_2 \quad ; \quad z = D + z_1 + z_2$$

$$= D + \frac{x^2}{2} \left(\frac{1}{R_1} + \frac{1}{R_2} \right)$$

$$dz = \left(\frac{1}{R_1} + \frac{1}{R_2} \right) x dx$$

$$\Rightarrow F(D) = \int dz \quad 2\pi \frac{R_1 R_2}{R_1 + R_2} f(z) dz = 2\pi \frac{R_1 R_2}{R_1 + R_2} W(D)$$

→ sphere against plane: $R_2 \gg R_1$

$$\Rightarrow F(D) = 2\pi R_1 W(D)$$

